





# CONTAINER GRANDE

BIG CONTAINER  
CONTAINER GRAND  
GROß CONTAINER







CODICE CODE CODE KODEX	DETTAGLI - DETAILS DETAILS - DETAIL
25003101	<p>1200 x 800 x 1000 H zincato - portata 450 kg - con piedi - 1 apertura (lato da 1200 mm) galvanized - capacity 450 kg - with feet - 1 opening (1200 mm) zingué - capacité de charge 450 kg - avec pieds- 1 ouverture (1200 mm) verzinkt - Tragfähigkeit 450 kg - mit Füße - 1 Öffnung (1200 mm)</p>
25003201	<p>1200 x 800 x 1000 H zincato - portata 450 kg - ruote: Ø 160 mm (4 pivottanti) in gomma - 1 apertura (lato da 1200 mm) galvanized - capacity 450 kg - wheels: Ø 160 mm (4 pivoting) in rubber - 1 opening (1200 mm) zingué - capacité de charge 450 kg - roues: Ø 160 mm (4 pivotantes) en gomme - 1 ouverture (1200 mm) verzinkt - Tragfähigkeit 450 kg - Rollen: Ø 160 mm (4 drehbare) aus Gummi - 1 Öffnung (1200 mm)</p>
ACCESSORI - ACCESSORIES - ACCESSOIRES - ZUBEHÖRE	
25A01050	<p>780 x 780 divisorio - partition - séparateur - Trenngitter</p>

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MABE IN mm

# CONTAINER PICCOLO

SMALL CONTAINER  
CONTAINER PETIT  
KLEIN CONTAINER




CODICE CODE CODE KODEX	DETTAGLI - DETAILS DETAILS - DETAIL
25001101	800 x 630 x 710 H zincato - portata 300 kg - con piedi - 1 apertura (lato da 800 mm) galvanized - capacity 300 kg - with feet - 1 opening (800 mm) zingué - capacité de charge 300 kg - avec pieds - 1 ouverture (800 mm) verzinkt - Tragfähigkeit 300 kg - mit FüÙe - 1 Öffnung (800 mm)
25001102	800 x 630 x 710 H zincato - portata 300 kg - con piedi - 2 aperture (lati da 800 / 630 mm) galvanized - capacity 300 kg - with feet - 2 openings (800 / 630 mm) zingué - capacité de charge 300 kg - avec pieds - 2 ouvertures (800 / 630 mm) verzinkt - Tragfähigkeit 300 kg - mit FüÙe - 2 Öffnungen (800 / 630 mm)
25001103	800 x 630 x 710 H zincato - portata 300 kg - con piedi - 3 aperture (lati da 800 / 800 / 630 mm) galvanized - capacity 300 kg - with feet - 3 openings (800 / 800 / 630 mm) zingué - capacité de charge 300 kg - avec pieds - 3 ouvertures (800 / 800 / 630 mm) verzinkt - Tragfähigkeit 300 kg - mit FüÙe - 3 Öffnungen (800 / 800 / 630 mm)
25001201	800 x 630 x 710 H zincato - portata 300 kg - ruote: Ø 100 mm (4 pivottanti) in nylon - 1 apertura (lato da 800 mm) galvanized - capacity 300 kg - wheels: Ø 100 mm (4 pivoting) in nylon - 1 opening (800 mm) zingué - capacité de charge 300 kg - roues: Ø 100 mm (4 pivotantes) en nylon - 1 ouverture (800 mm) verzinkt - Tragfähigkeit 300 kg - Rollen: Ø 100 mm (4 drehbare) aus Nylon - 1 Öffnung (800 mm)
25001202	800 x 630 x 710 H zincato - portata 300 kg - ruote: Ø 100 mm (4 pivottanti) in nylon - 2 aperture (lati da 800 / 630 mm) galvanized - capacity 300 kg - wheels: Ø 100 mm (4 pivoting) in nylon - 2 openings (800 / 630 mm) zingué - capacité de charge 300 kg - roues: Ø 100 mm (4 pivotantes) en nylon - 2 ouvertures (800 / 630 mm) verzinkt - Tragfähigkeit 300 kg - Rollen: Ø 100 mm (4 drehbare) aus Nylon - 2 Öffnungen (800 / 630 mm)
25001203	800 x 630 x 710 H zincato - portata 300 kg - ruote: Ø 100 mm (4 pivottanti) in nylon - 3 aperture (lati da 800 / 800 / 630 mm) galvanized - capacity 300 kg - wheels: Ø 100 mm (4 pivoting) in nylon - 3 openings (800 / 800 / 630 mm) zingué - capacité de charge 300 kg - roues: Ø 100 mm (4 pivotantes) en nylon - 3 ouvertures (800 / 800 / 630 mm) verzinkt - Tragfähigkeit 300 kg - Rollen: Ø 100 mm (4 drehbare) aus Nylon - 3 Öffnungen (800 / 800 / 630 mm)
ACCESSORI - ACCESSORIES - ACCESSOIRES - ZUBEHÖRE	
25A01051	580 x 580 divisorio - partition - séparateur - Trenngitter

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MAÙE IN mm

## PARETALE PALLET

STIFFENED CONTAINER  
CONTAINER POUR PALETTE  
CONTAINER FÜR PALETTEN



CODICE CODE CODE KODEX	DETTAGLI - DETAILS DETAILS - DETAIL
25004001	1200 x 800 x 870 H mm zincato - 1 apertura (lato da 1200 mm) - galvanized - 1 opening (1200 mm) zingué - 1 ouverture (1200 mm) - verzinkt - 1 Öffnung (1200 mm)
ACCESSORI - ACCESSORIES - ACCESSOIRES - ZUBEHÖRE	
25A06000	ripiano - shelf - rayon - Regal
25A06001	divisorio - partition - séparateur - Trenngitter

### NOTE - NOTES - NOTES - ANMERKUNGEN



Pallet non incluso - Pallet not included  
Palette pas comprise - Palette nicht inbegriffen

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MAßE IN mm

# ROLL CONTAINER




RIPIANO INTERMEDIO E SPONDA POSTERIORE ESCLUSI  
SHELF AND BACK PANEL NOT INCLUDED  
RAYON ET PANNEAU POSTERIEUR PAS COMPRIS  
REGAL UND RÜCKWAND NICHT INBEGRIFFEN



BASE OMEGA  
OMEGA BASE  
BASE OMEGA  
OMEGA BASIS

CODICE CODE CODE KODEX	DETTAGLI - DETAILS DETAILS - DETAIL
25005408	710 x 800 x 1800 H mm zincato - portata 400 kg - base FILO, con 2 sponde e 2 cinghie regolabili - ruote: Ø 100 mm (2 pivotanti + 2 fisse) galvanized - capacity 400 kg - WIRE base, with 2 side panels and 2 belts - wheels: Ø 100 mm (2 pivoting + 2 fixed) zingué - capacité de charge 400 kg - base FIL, avec 2 panneaux latéraux et 2 bandages - roues: Ø 100 mm (2 pivotantes + 2 fixes) verzinkt - Tragfähigkeit 400 kg - DRAHT Basis, mit 2 Seitenwänden und 2 Riemen - Rollen: Ø 100 mm (2 drehbare + 2 feste)
25005308	710 x 800 x 1800 H mm zincato - portata 400 kg - base OMEGA, con 2 sponde e 2 cinghie regolabili - ruote: Ø 100 mm (2 pivotanti + 2 fisse) galvanized - capacity 400 kg - OMEGA base, with 2 side panels and 2 belts - wheels: Ø 100 mm (2 pivoting + 2 fixed) zingué - capacité de charge 400 kg - base OMEGA, avec 2 panneaux latéraux et 2 bandages - roues: Ø 100 mm (2 pivotantes + 2 fixes) verzinkt - Tragfähigkeit 400 kg - OMEGA Basis, mit 2 Seitenwänden und 2 Riemen - Rollen: Ø 100 mm (2 drehbare + 2 feste)
ACCESSORI - ACCESSORIES - ACCESSOIRES - ZUBEHÖRE	
25A02008	sponda posteriore - back panel - panneau postérieur - Rückwand
25A03000	ripiano - shelf - rayon - Regal
259656	cinghia in tessuto elastico - belt in elastic tissue - bandage en tissu élastique - Riemen aus elastischem Stoff
259606	cinghia in tessuto rigido - belt in rigid tissue - bandage en tissu rigide - Riemen aus festem Stoff

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MAßE IN mm




CODICE CODE CODE KODEX	DETTAGLI - DETAILS DETAILS - DETAIL
25006212	<p>1200 x 820 x 1700 H</p> <p>zincato - portata 450 kg - con parete anteriore 700 H - ruote: Ø 160 mm (4 pivottanti) in gomma galvanized - capacity 450 kg - with front panel H 700 - wheels: Ø 160 mm (4 pivoting) in rubber zingué - capacité de charge 450 kg - avec panneau antérieur H 700 - roues: Ø 160 mm (4 pivotantes) en gomme verzinkt - Tragfähigkeit 450 kg - mit Vorderwand H 700 - Rollen: Ø 160 mm (4 drehbare) aus Gummi</p>
25006210	<p>1200 x 820 x 1700 H</p> <p>zincato - portata 450 kg - anteriormente completamente aperto - ruote: Ø 160 mm (4 pivottanti) in gomma galvanized - capacity 450 kg - with front panel completely opened - wheels: Ø 160 mm (4 pivoting) in rubber zingué - capacité de charge 450 kg - avec panneau antérieur complètement ouvert - roues: Ø 160 mm (4 pivotantes) en gomme verzinkt - Tragfähigkeit 450 kg - mit Vorderwand völlig geöffnet - Rollen: Ø 160 mm (4 drehbare) aus Gummi</p>
25006211	<p>1200 x 820 x 1700 H</p> <p>zincato - portata 450 kg - completamente chiuso - ruote: Ø 160 mm (4 pivottanti) in gomma galvanized - capacity 450 kg - completely closed - wheels: Ø 160 mm (4 pivoting) in rubber zingué - capacité de charge 450 kg - complètement fermé - roues: Ø 160 mm (4 pivotantes) en gomme verzinkt - Tragfähigkeit 450 kg - völlig geschlossen - Rollen: Ø 160 mm (4 drehbare) aus Gummi</p>
ACCESSORI - ACCESSORIES - ACCESSOIRES - ZUBEHÖRE	
25A04000	ripiano zincato - galvanzed shelf - rayon zingué - verzinkt Regal

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MAßE IN mm

## PORTA CARTONI

BASKET FOR CARDBOARD  
 PANIER POUR CARTON  
 KORB FÜR PAPPE



CODICE  
 CODE  
 CODE  
 KODEX

DETTAGLI - DETAILS  
 DETAILS - DETAIL

25008201

1620 x 1020 x 1800  
 zincato - portata 150 kg - 1 apertura (lato da 1620 mm) - ruote: Ø 125 mm (4 pivottanti) in gomma  
 galvanized - capacity 150 kg - 1 opening (1620 mm) - wheels: Ø 125 mm (4 pivoting) in rubber  
 zingué - capacité de charge 150 kg - 1 ouverture (1620 mm) - roues: Ø 125 mm (4 pivotantes) en gomme  
 verzinkt - Tragfähigkeit 150 kg - 1 Öffnung (1620 mm) - Rollen: Ø 125 mm (4 drehbare) aus Gummi

TUTTE LE MISURE SONO ESPRESSE IN mm / ALL MEASUREMENTS IN mm / TOUTES MESURES EN mm / ALLE MAßE IN mm